# SAFETY DATA SHEET

## 1. Identification

**Product identifier WISDOM TC Flowable** 

Other means of identification

SDS number 317

**Product registration** 

number

5481-519; 5481-520

WISDOM® Flowable **Synonyms** 

Recommended use Pyrethroid type insecticide/miticide.

**Recommended restrictions** No other uses are advised.

Keep out of the Reach of Children!

**EPA Registration number** EPA: 5481-519; 5481-520 Manufacturer/Importer/Supplier/Distributor information

Manufacturer

**AMVAC Chemical Corporation** Company name

4685 MacArthur Court **Address** 

Suite 1200

Newport Beach, CA 92660

**AMVAC Chemical Corp Telephone** 949-260-1200

**AMVAC Chemical Corp** 949-260-6270(FAX)

Website www.Amvac-Chemical.com

E-mail CustServ@Amvac-Chemical.com

Medical **Emergency phone number** 888-681-4261 800-424-9300

**CHEMTREC®** 

(USA+Canada)

**Product Use** 888-462-6822 CHEMTREC® (Outside +1-703-527-3887

USA)

2. Hazard(s) identification

Physical hazards Not classified.

**Health hazards** Acute toxicity, oral Category 4

**Environmental hazards** Hazardous to the aquatic environment, acute Category 1

hazard

Hazardous to the aquatic environment, Category 1

long-term hazard

**OSHA** defined hazards Not classified.

Label elements



Signal word Warning

Harmful if swallowed. **Hazard statement** Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

**Precautionary statement** 

Prevention Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Avoid release to the environment.

Wear protective gloves.

Material name: WISDOM TC Flowable

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Response

IF ON SKIN: Wash with plenty of soap and water.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Collect spillage.

Storage Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

**Disposal** Hazard(s) not otherwise

None known.

Supplemental information

classified (HNOC)

This is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced in section 15. The pesticide label also includes other important information, including directions for use.

Dispose of contents/container in accordance with local/regional/national/international regulations.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Bifenthrin	Cyclopropanecarboxylic acid, 3-[(1Z)-2-chloro-3,3,3-trifluoro-1-propenyl] -2,2-dimethyl-, (2-methyl[1,1'-biphenyl]-3-yl)methyl ester, (1R,3R)-rel-	82657-04-3	7.9
Additional components			
Chemical name	Common name and synonyms	CAS number	%
Undisclosed Ingredients		N/A	92.1

## 4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical

attention, if needed. Oxygen or artificial respiration if needed.

Skin contact Remove and isolate contaminated clothing and shoes. Immediately flush skin with plenty of water.

Use soap if available. Get medical attention if irritation develops and persists. In case of eczema or

other skin disorders: Seek medical attention and take along these instructions.

**Eve contact** Rinse with water. Get medical attention if irritation develops and persists.

Never give anything by mouth to a victim who is unconscious or is having convulsions. Do not Ingestion

induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell. If

ingestion of a large amount does occur, call a poison control center immediately.

Most important

symptoms/effects, acute and

delayed

May cause an allergic skin reaction. Dermatitis. Rash. Direct contact with eyes may cause

temporary irritation.

Indication of immediate medical attention and special

treatment needed

Provide general supportive measures and treat symptomatically. Bifenthrin is moderately toxic if swallowed and has a low dermal toxicity. Gastric layage using an endotracheal tube may be preferred to vomiting. Reversible skin sensations (paresthesia) may occur and ordinary skin salves have been found useful in reducing discomfort. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

General information

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

During fire, gases hazardous to health may be formed.

the chemical

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

**Specific methods**Use standard firefighting procedures and consider the hazards of other involved materials.

**General fire hazards** No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up

This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways. Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Siphon the majority of the liquid into drums for use or disposal, depending on the circumstances. Absorb in vermiculite, dry sand or earth and place into containers. Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

**Environmental precautions** 

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

# 7. Handling and storage

Precautions for safe handling

Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapor. Avoid contact with eyes, skin, and clothing. When using, do not eat, drink or smoke. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

Occupational exposure limits

Components	Туре	Value		
Precipitated silica (CAS 112926-00-8)	TWA	0.8 mg/m3		
		20 mppcf		
US. NIOSH: Pocket Guide to Che	emical Hazards			
Components	Туре	Value		
Precipitated silica (CAS 112926-00-8)	TWA	6 mg/m3		
US. Workplace Environmental E	xposure Level (WEEL) Guides			
Components	Туре	Value	Form	
Propylene glycol (CAS 57-55-6)	TWA	10 mg/m3	Aerosol.	

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates

should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

## Individual protection measures, such as personal protective equipment

Eye/face protection If contact is likely, safety glasses with side shields are recommended.

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Other Wear appropriate chemical resistant clothing (see label).

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Not available.

General hygiene

considerations

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

# 9. Physical and chemical properties

**Appearance** Opaque, off-white liquid

Liquid. Physical state **Form** Liquid.

Color Opaque beige

Odor Bland

None established Odor threshold рН Not available. Melting point/freezing point 28.4 °F (-2 °C) Initial boiling point and boiling 212 °F (100 °C)

range

210 °F (99 °C) estimated Flash point

**Evaporation rate** Not available Not applicable. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower

2.6 % estimated

Flammability limit - upper

(%)

12.6 % estimated

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available.

1.81E-07 mm Hg @ 25°C (a.i.) Vapor pressure

Heavier than air Vapor density Relative density 1.024 g/cm3 @ 20°C

Solubility(ies)

Solubility (water) Dispersible

The active ingredient in this product is soluble in aromatic solvents Solubility (solvents)

700 °F (371 °C) estimated **Auto-ignition temperature** 

Not available. **Decomposition temperature** Not available. **Viscosity** 

Other information

**Bulk density** 8.53 lb/gal

Flammability class Combustible IIIB estimated

Percent volatile Not applicable pH in aqueous solution 6.7 @ 25°C Specific gravity 1.024 @ 20°C

# 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents. Hazardous decomposition

products

No hazardous decomposition products are known. This product may emit hazardous fumes of hydrogen chloride, carbon oxides, and unidentified organic compounds when it is heated excessively or burned. WEAR SELF-CONTAINED BREATHING APPARATUS when these

conditions are present.

# 11. Toxicological information

#### Information on likely routes of exposure

Inhalation May be harmful if inhaled.

Skin contact May cause an allergic skin reaction.

**Eve contact** Direct contact with eyes may cause temporary irritation.

Ingestion May be harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics May cause an allergic skin reaction. Contact with Bifenthrin may occasionally produce skin

sensitization such as rashes, numbing, burning or tingling.

## Information on toxicological effects

May be harmful if swallowed. May be harmful if inhaled. May cause an allergic skin reaction. **Acute toxicity** 

Product	Species Test Results	
WISDOM TC Flowable		
<u>acute</u>		
dermal		
LD50	rabbit	> 2000 mg/kg Tox Cat IV
inhalation		
LC50	rat	< 11.58 mg/L, 1 hr Tox Cat IV
oral		
LD50	female rat	< 632 mg/kg Tox Cat III

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Prolonged skin contact may cause temporary irritation. Skin corrosion/irritation Serious eye damage/eye Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

May cause an allergic skin reaction. Skin sensitization

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Carcinogenicity None of the components present in this material at concentrations equal to or greater than 0.1%

are listed by IARC, NTP, or OSHA, as a carcinogen. Bifenthrin has produced an increased incidence of urinary bladder tumors in male mice at the highest dose level tested. This response however was considered equivocal and not evidence of a clear compound related effect. The doses that produced this oncogenic effect in laboratory animals greatly exceeds human exposure levels for the recommended use of Bifenthrin products. Consequently, the oncogenic potential in humans is extremely weak or non-existent. Respirable crystalline silica is listed as being carcinogenic by both IARC and NTP. It is present at less than 0.01% in the product.

IARC Monographs. Overall Evaluation of Carcinogenicity

Precipitated silica (CAS 112926-00-8) 3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

No specific target organ toxicity is expected after repeated exposure.

**Aspiration hazard** Not an aspiration hazard.

Material name: WISDOM TC Flowable

SDS US

Causes damage to organs through prolonged or repeated exposure. Prolonged inhalation may be

harmful.

## 12. Ecological information

**Ecotoxicity** Very toxic to aquatic life with long lasting effects.

Components		Species	Test Results
Bifenthrin (CAS 82657	'-04-3)		
Aquatic			
Crustacea	LC50	Water flea (Ceriodaphnia dubia)	0 - 0.0002 mg/l, 48 hours
		Water flea (Daphnia magna)	0.0001 - 0.0009 mg/l, 48 hours

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

WISDOM TC Flowable < 6, Bifenthrin

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

**Hazardous waste code**The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal methods/information).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

## 14. Transport information

DOT

UN number UN3082

UN proper shipping name

Environmentally hazardous substances, liquid, n.o.s. (Bifenthrin)

Transport hazard class(es)

Class 9
Subsidiary risk Label(s) 9
Packing group III

**Environmental hazards** 

Marine pollutant No

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

**Special provisions** 8, 146, 335, IB3, T4, TP1, TP29

Packaging exceptions 155
Packaging non bulk 203
Packaging bulk 241

IATA

UN number UN3082

UN proper shipping name

Transport hazard class(es)

Environmentally hazardous substances, liquid, n.o.s. (Bifenthrin)

Class 9
Subsidiary risk Label(s) 9
Packing group III

**Environmental hazards** Yes, when transported over large bodies of water

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo Allowed. aircraft

Cargo aircraft only Allowed.

Read safety instructions, SDS and emergency procedures before handling.

#### **IMDG**

**UN** number UN3082

UN proper shipping name Transport hazard class(es) Environmentally hazardous substances, liquid, n.o.s. (Bifenthrin), MARINE POLLUTANT

9 Class Subsidiary risk 9 Label(s) **Packing group** Ш

**Environmental hazards** 

Yes Marine pollutant


Not available.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not established.

DOT; IATA; IMDG



## Marine pollutant



## **General information**

IMDG Regulated Marine Pollutant.

This product is not regulated when shipped by highway, rail, or air in non-bulk packaging (maximum capacity of 450 L (119 gallons) or less. When shipped by vessel or in bulk packaging this product is regulated according to the data shown.

Material name: WISDOM TC Flowable

## 15. Regulatory information

#### US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

This product is registered under EPA/FIFRA Regulations as a RESTRICTED USE PESTICIDE. It is a violation of Federal Law to use this product in any manner inconsistent with its labeling. Read and follow all label directions. This product is excluded from listing requirements under EPA/TSCA.

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

#### HAZARD TO HUMANS AND DOMESTIC ANIMALS.

CAUTION! Harmful if swallowed, absorbed through skin or inhaled. Avoid contact with eyes, skin, and clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before reuse.

#### **ENVIRONMENTAL HAZARDS**

This pesticide is highly toxic to fish, aquatic invertebrates, birds and mammals. Use with care when applying in areas adjacent to any body of water. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Keep out of lakes, ponds, and streams. Do not contaminate water when disposing of equipment washwater or rinsate. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

#### PHYSICAL OR CHEMICAL HAZARDS

Do not apply water-based dilutions of this product to electrical conduits, motor housings, junction boxes, switch boxes or other electrical equipment because of the possible shock hazard.

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

## **CERCLA Hazardous Substance List (40 CFR 302.4)**

Not listed.

#### SARA 304 Emergency release notification

Not regulated.

### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

## Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

Classified hazard

Acute toxicity (any route of exposure)

categories

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
Bifenthrin	82657-04-3	7.9	

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

Material name: WISDOM TC Flowable

SDS US

## **US state regulations**

#### California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

#### International Inventories

Country(s) or region Inventory name On inventory (yes/no)\*

CanadaDomestic Substances List (DSL)NoCanadaNon-Domestic Substances List (NDSL)No

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory No

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

Issue date Apr-21-2015
Revision date Aug-30-2018

References ACGIH®: American Conference of Governmental Industrial Hygienists

CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act

EPA: Environmental Protection Agency

FIFRA: Federal Insecticide, Fungicide, and Rodenticide Act

IARC: International Agency for Research on Cancer

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Agency

SARA: Superfund Amendments and Reauthorization Act

TSCA: Toxic Substances Control Act DOT: Department of Transportation

IMDG: International Maritime Dangerous Goods IATA: International Air Transport Association

Version # 4.0

HMIS® ratings Health: 2

Flammability: 0 Physical hazard: 0

NFPA ratings Health: 2

Flammability: 0 Instability: 0

**Disclaimer** AMVAC Chemical Corporation cannot anticipate all conditions under which this information and its

product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. This information is provided for the limited guidance to the user. While AMVAC believes that the information is, as of the date hereof, reliable, it is the user's responsibility to determine the suitability of the information for its purposes. The user is advised not to construe the information as absolutely complete since additional information may be necessary or desirable when particular, exceptional, or variable conditions or circumstances exist (like combinations with other materials), or because of applicable regulations. No express or implied warranty of merchantability or fitness for a particular purpose or otherwise is made hereunder with respect to the information

or the product to which the information relates.

©2018 AMVAC Chemical Corporation. All Rights Reserved. AMVAC and the AMVAC Logo are

trademarks owned by AMVAC Chemical Corporation.

WISDOM is a trademark owned by AMVAC Chemical Corporation.

ACGIH is a trademark of the American Conference of Governmental Industrial Hygienists.

CHEMTREC is a trademark of the American Chemistry Council, Inc.

HMIS is a trademark of the American Coatings Association.

NFPA is a trademark of the National Fire Protection Association, Inc.

**Revision information** This document has undergone significant changes and should be reviewed in its entirety.